

THE CLAMPING EXPERT

March 2002

Insulation Cladding System

Band-it Light-Duty Stainless Steel Valustrap and Valuclips commonly used to secure Insulation Cladding on Pipes and Fuel Tanks in Petrochemical, Refineries, Power, Food and Pharmaceutical Plants





THE CLAMPING EXPERT

March 2002


Insulation Cladding System – Tank Farm NZ

316 Stainless Steel Band and Buckle Clamps used to secure Insulation Cladding on Pipes and Fuel Tanks in this Sea-Front Installation





INSULSTRAPTM



AISI 304 Stainless Steel Insulstrap in 850 Feet Ribbon Wound Coils With Safety Smooth Edges

Cat.No.	Width >	Thickness	Approx	x.Weight	Length ft.
C944R	1/2 x .015 in	12.7 x .38 mm	22.8 lb	10.4 kg	850
C946R	3/4 x .015 in	19.1 x .38 mm	34.3 lb	15.6 kg	850
C964R	1/2 x .020 in	12.7 x .51 mm	29.0 lb	13.2 kg	850
C966R	3/4 x .020 in	19.1 x .51 mm	44.0 lb	20.0 kg	850



AISI 304 Stainless Steel Insulstrap in 850 Feet Roll per Carton With Safety Smooth Edges

Cat.No.	Width x	Thickness	Approx.Weight		Length ft.
C944	1/2 x .015 in	12.7 x .38 mm	22.8 lb	10.4 kg	850
C946	3/4 x .015 in	19.1 x .38 mm	34.3 lb	15.6 kg	850
C964	1/2 x .020 in	12.7 x .51 mm	29.0 lb	13.2 kg	850
C966	3/4 x .020 in	19.1 x .51 mm	44.0 lb	20.0 kg	850



AISI 304 Stainless Steel Insulstrap in 200 Feet Roll per Carton With Safety Smooth Edges

Cat.No.	Width x	Thickness	Appro	x.Weight	Length ft.
C904	1/2 x .015 in	12.7 x .38 mm	5.4 lb	2.4 kg	200
C906	3/4 x .015 in	19.1 x .38 mm	8.1 lb	3.7 kg	200
C914	1/2 x .020 in	12.7 x .51 mm	6.8 lb	3.1 kg	200
C916	3/4 x .020 in	19.1 x .51 mm	10.4 lb	4.7 kg	200



Stainless Steel Clips in Boxes of 100 Pieces

Cat.No.	Size	Qty per box
C154	For 1/2 inch, 12.7 mm width Strap	100 pcs
C156	For 3/4 inch, 19.1 mm width Strap	100 pcs

Extra light duty Wing-Seal Clips and Crimp-Seal Clips available on request







BAND-IT Clamps (Asia) Pte.Ltd. 11 Second Chin Bee Road, Singapore 618777, Tel:(65)6265-8853, Fax:(65)6265-8902

BAND-IT-IDEX,Inc.USA, BAND-IT Company Limited, England