



Confirmation of Product Type Approval

Company Name: BAND-IT COMPANY LTD

Address: SPEEDWELL INDUSTRIAL ESTATE STAVELEY DERBYSHIRE S43 3PF United Kingdom

Product: Stainless Steel Coated/Uncoated Cable Restraint

Model(s): AE33, XE33, AE43, XE43, AE60, AM60, AE61, AM61, AE70, AM70, AE71, AM71, AE71, AM21, AS21(US), AS41(US), AS21(UK), AS41(UK), AE10, AE30, AE11, AE31, KE01, KE02, KE03, KE13, KE04, KE06, KE08, AE93, AE53, AE98, AE45

Certificate Type	Certificate Number	Issue Date	Expiry Date
Product Design Assessment (PDA)	19-LD1873625-PDA	06-AUG-2019	05-AUG-2024
Manufacturing Assessment (MA)	16-LC3217388	12-OCT-2016	16-NOV-2021
Product Quality Assurance (PQA)	NA	NA	NA

Tier
3

Intended Service

ABS Classed Vessels and Offshore Facilities in accordance with the listed ABS Rules.

Description

Stainless Steel Coated and Uncoated Cable Clips, Ties, Buckles and Banding

Ratings

-AExx: Cable Tie: widths 6.35 mm to 12.09 mm

-KExx: Cable Tie: widths 4.60 mm to 8.01 mm

-ASxx: Cable Tie: widths 6.35 mm

-AMxx: Cable Tie: widths 6.35 mm to 12.09 mm

Service Restrictions

Unit Certification is not required for this product. If the manufacturer or purchaser request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.

Comments

This DA Certification is referenced to the following Test Report. Short Circuit Test of Coated Stainless Steel Cable Ties for Trefoil Cable Configurations. (SNITEF Energy Research, Ref. LR F2440, Dated 12 Feb. 2007)

The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.

Notes, Drawings and Documentation

- Drawing No. ABS Part No Info - 01-04-2019, PART NO. INFO, Revision: -, Pages: 1
- Drawing No. AE10, BAND-IT CABLE TIE, 1/4in UNCOATED, Revision: D, Pages: 2
- Drawing No. AE11, Band-It Cable Tie, 1/4, Revision: -, Pages: -
- Drawing No. AE11, Band-It Cable Tie, 1/4, Revision: T, Pages: -
- Drawing No. AE30, BAND-IT CABLE TIE, 3/8in UNCOATED, EA, Revision: D, Pages: 2
- Drawing No. AE31, Band-It Cable Tie, 3/8, Revision: -, Pages: -
- Drawing No. AE31, Band-It Cable Tie, 3/8, Revision: Q, Pages: -
- Drawing No. AE33, BAND, 304SS, COATED, Revision: B, Pages: 2
- Drawing No. AE43, Band, 316SS, coated, Revision: K, Pages: 3
- Drawing No. AE4529, CLIP, 1/4in 316SS, BOXED, Revision: A, Pages: 1
- Drawing No. AE4539, CLIP, 3/8in, 316SS, BOXED, Revision: B, Pages: 2
- Drawing No. AE53, BAND, GCS, COATED, Revision: A, Pages: 2
- Drawing No. AE601, Multi-Lok Tie 7mm x .25mm Uncoated, Revision: -, Pages: -
- Drawing No. AE601, Multi-Lok Tie 7mm x .25mm Uncoated, Revision: T, Pages: -
- Drawing No. AE611, Multi-Lok Tie 7mm x .25mm Coated, Revision: -, Pages: -
- Drawing No. AE611, Multi-Lok Tie 7mm x .25mm Coated, Revision: O, Pages: -
- Drawing No. AE701, Multi-Lok Tie, 12mm x .25mm Uncoated, Revision: T, Pages: -
- Drawing No. AE701, Multi-Lok Tie, 12mm x .25mm Uncoated, Revision: -, Pages: -
- Drawing No. AE711, Multi-Lok Tie, 12mm x .25mm Coated, Revision: P, Pages: -
- Drawing No. AE711, Multi-Lok Tie, 12mm x .25mm Coated, Revision: -, Pages: -
- Drawing No. AE93, ROLL BAND, 201SS, COATED, Revision: A, Pages: 2
- Drawing No. AS211, S.I.D. TIE-LOK TIES, 1/4in WIDE, Revision: L, Pages: 3
- Drawing No. AS211UK, S.I.D. Tie-Lok Ties, 1/4, Revision: -, Pages: -
- Drawing No. AS211UK, S.I.D. Tie-Lok Ties, 1/4, Revision: D, Pages: -
- Drawing No. AS221, S.I.D. TIE-LOK TIES, MINI (4.5mm), Revision: M.1, Pages: 3
- Drawing No. AS221UK, S.I.D. Tie-Lok Ties, Mini (4.5mm), Revision: D, Pages: -
- Drawing No. AS221UK, S.I.D. Tie-Lok Ties, Mini (4.5mm), Revision: -, Pages: -
- Drawing No. KE012UK, Ball-Lok Tie, 4.6mm (3/16, Revision: -, Pages: -
- Drawing No. KE012UK, Ball-Lok Tie, 4.6mm (3/16, Revision: E, Pages: -
- Drawing No. KE022UK, Ball-Lok Tie, 4.6mm (3/16, Revision: -, Pages: -

- Drawing No. KE022UK, Ball-Lok Tie, 4.6mm (3/16, Revision: D, Pages: -
- Drawing No. KE032UK, Ball-Lok Tie, 7.9mm (5/16, Revision: -, Pages: -
- Drawing No. KE032UK, Ball-Lok Tie, 7.9mm (5/16, Revision: E, Pages: -
- Drawing No. KE042UK, Ball-Lok Tie, 7.9mm (5/16, Revision: -, Pages: -
- Drawing No. KE042UK, Ball-Lok Tie, 7.9mm (5/16, Revision: E, Pages: -
- Drawing No. KE06, BALL-LOK TIE, 3/16in (4.6mm), SELECTIVELY COATED, Revision: H, Pages: 3
- Drawing No. KE08, Ball-Lok Tie, 5/16, Revision: -, Pages: -
- Drawing No. KE08, Ball-Lok Tie, 5/16, Revision: K, Pages: -
- Drawing No. XE012UK, BALL-LOK TIE, 4.6mm (3/16in), UNCOATED, Revision: E, Pages: 3
- Drawing No. XE042UK, BALL-LOK TIE, 7.9mm (5/16in), COATED, Revision: D, Pages: 3

Term of Validity

This Product Design Assessment (PDA) Certificate 19-LD1873625-PDA, dated 06/Aug/2019 remains valid until 05/Aug/2024 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

ABS Rules

- Marine Vessel Rules (2019): 1-1-4/7.7, 1-1-A3&A4, 4-8-4/21.9;
- Facilities on Offshore Installations (2019): 1-1-4/9.7, 1-1-A2&A3;
- Mobile Offshore Units (2019): 1-1-4/9.7, 1-1-A2&A3, 4-1-1/7.9, 4-3-1/11, 6-1-1/9, 6-1-1/13;
- Steel Vessels for Service on Rivers and Intracoastal Waterways (2019): 1-1-4/7.7, 1-1-A3&A4;
- High Speed Crafts (2019): 1-1-4/11.9, 1-1-A2&A3, 4-6-1/11, 4-7-9/7, 4-7-9/15, 4-7-9/Table 9;
- Steel Barge Rules (2019): 1-1-4/7.9, 1-1-A3&A4;

International Standards

IEC 60092-352 Ed.3:2005

EU-MED Standards

NA

National Standards

NA

Government Standards

NA

Other Standards

NA



A handwritten signature in black ink, appearing to read "James W. ...".

Corporate ABS Programs
American Bureau of Shipping
Print Date and Time: 08-Aug-2019 3:58

ABS has used due diligence in the preparation of this certificate, and it represents the information on the product in the ABS Records as of the date and time the certificate is printed.

If the Rules and/or standards used in the PDA evaluation are revised or if there is a design modification (whichever occurs first), a PDA revalidation may be necessary.

The continued validity of the MA is dependent on completion of satisfactory audits as required by the ABS Rules. The validity of both PDA and MA entitles the product to receive a **Confirmation of Product Type Approval**.

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or prior to the effective date of the ABS Rules and standards applied at the time of PDA issuance. ABS makes no representations regarding Type Approval of the Product for use on vessels, MODUs or facilities built after the date of the ABS Rules used for this evaluation.

Type Approval requires Drawing Assessment, Prototype Testing and assessment of the manufacturer's quality assurance and quality control arrangements. The manufacturer is responsible to maintain compliance with all specifications applicable to the product design assessment. Unless specifically indicated in the description of the product, certification under type approval does not waive requirements for witnessed inspection or additional survey for product use on a vessel, MODU or facility intended to be ABS classed or that is presently in class with ABS.

Due to wide variety of specifications used in the products ABS has evaluated for Type Approval, it is part of our contract that; whether the standard is an ABS Rule or a non-ABS Rule, the Client has full responsibility for continued compliance with the standard.

Questions regarding the validity of ABS Rules or the need for supplemental testing or inspection of such products should, in all cases, be addressed to ABS.

TYPE APPROVAL CERTIFICATE

Certificate No:
TAE00000YS
Revision No:
2

This is to certify:

That the Cable Ties

with type designation(s)

Ball-Lok, Tie-lok, Mini Tie-lok, 316 stainless steel band, Multi lok ties, Band-it ties, Cable fixing band and clipd, Band-it ties, all purpose band, 201 Stainless Steel Coated Band, GCS Coated band, AA Stainless Steel Coated Band

Issued to

BAND-IT Company Limited
London, United Kingdom

is found to comply with

DNV GL rules for classification – Ships, offshore units, and high speed and light craft

Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Type	Material	Suitable for open deck
Ball-Lok	Stainless steel/Composite	Yes
Tie-lok	Stainless steel	Yes
Mini Tie-lok	Stainless steel	Yes
316 stainless steel band	Stainless steel	Yes
Multi lok ties	Stainless steel/composite	Yes
Band-it ties	Stainless steel/composite	Yes
Cable fixing band and clipd	Composite	Yes
Band-it ties, all purpose band	Stainless steel/composite	Yes
201 Stainless Steel Coated Band	Composite	Yes
GCS Coated band	Composite	Yes
AA Stainless Steel Coated Band	Composite	Yes

Issued at **Høvik** on **2017-09-15**

This Certificate is valid until **2022-09-14**.

DNV GL local station: **Manchester**

Approval Engineer: **Ivar Bull**



for **DNV GL**

Digitally Signed By: **Alonso Pontes, Marta**

Location: **DNV GL Høvik, Norway**

On behalf of

Andreas Kristoffersen
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.



Form code: TA 251

Revision: 2016-12

www.dnvgl.com

Page 1 of 5

Job Id: **262.1-012984-5**
 Certificate No: **TAE00000YS**
 Revision No: **2**

Name and place of manufacturer

BAND-IT Company Limited Speedwell Ind. Ets Staveley Chesterfield S43 3PF United Kingdom	BAND-IT-IDEX, Inc. 4799 Dahlia St. Denver, Colorado 80216 USA	IDEX Technology (Suzhou) Co., Ltd. No.51 TangBang Road, CaoHu Boulevard, Xiang Cheng District, Suzhou Jiangsu 215131 China
--	---	---

Product description

Type name: **Ball-Lok Ties**
 Material: Stainless Steel 304 or 316, 316 with or without Nylon 11 or Epoxy coating
 Thickness: 0.265 mm
 Width: 4,6 or 7,9 mm
 Length: 150 -1067mm

	Uncoated	Coated
Family	KE11 & KE13 (SS304) KE01 & KE03 (SS316) XE11 & XE13(SS304) XE01 & XE03 (SS316)	KE02 & KE04 (SS316) KE06 & KE08 (SS316) XE02 & XE04 (SS316) XE06 & XE08 (SS316)
Temperatur range [°C] min to max	-60°C to 300°C	-40°C to 150°C
Tensile strength for 4,6 x 0,25 mm types [N]	890N	667N
Tensile strength for 7,9 x 0,25 mm types [N]	1334N	778N

Type name: **Tie-Lok Ties**
 Material: Stainless Steel, 304 (AS200 series) & 316 (AS400 series)
 Thickness: 0.38 mm
 Width: 6,4 mm
 Length: 254 – 889 mm

	Uncoated	Coated
Family	AS200 (SS304) AS400 (SS316)	-
Temperatur range [°C] min to max	-60°C to 300°C	-
Tensile strength for 6,4 x 0,38 mm types [N]	1112N	-

Type name: **Mini Tie-Lok Ties**
 Material: Stainless Steel 304 or 316
 Thickness: 0.38 mm
 Width: 4,5 mm
 Length: 165 -737mm

	Uncoated	Coated
Family	AS200 (SS304) AS400 (SS316)	-
Temperatur range [°C] min to max	-60°C to 300°C	-
Tensile strength for 4,5 x 0,38 mm types [N]	444N	-

Job Id: **262.1-012984-5**
 Certificate No: **TAE00000YS**
 Revision No: **2**

Type name: **316 Stainless Steel Band**, (C44 family with uncoated AE45 Clip)

Material: 316 Stainless Steel
 Thickness: 0,38mm
 Width: 6,4 – 19,1 mm
 Length: 25 m

	Uncoated	Coated
Family	C44 and AE44	-
Temperatur range [°C] min to max	-60°C to 300°C	-
Tensile strength for 6,4 x 0,38 mm types [N]	1779N	-
Tensile strength for 9,6 x 0,38 mm types [N]	3336N	-
Tensile strength for 12,7 x 0,38 mm types [N]	5337N	-
Tensile strength for 15,8 x 0,38 mm types [N]	6672N	-
Tensile strength for 19,1 x 0,38 mm types [N]	8006N	-

Type name: **Multi-Lok Ties**

Material: Stainless Steel 316 covered with RILSON ESY (NYLON 11)
 Thickness: 0.265 mm
 Width: 7 or 12 mm
 Length: 150 -610 mm

	Uncoated	Coated
Family	AE60 & AE70	AE61 & AE71
Temperatur range [°C] min to max	-60°C to 300°C	-40°C to 150°C
Tensile strength for 7 x 0,28 mm types [N]	250lbs	1112N
Tensile strength for 12 x 0,28 mm types [N]	415lbs	1846N

Type name: **Band-It Ties**

Material: Stainless Steel, 316 coated with PPA 571 or NYLON 11
 Thickness: 0.4 mm
 Width: 6,4 or 9,5 mm
 Length: 150 -914mm

	Uncoated	Coated
Family	AE10 & AE30	AE11 & AE31
Temperatur range [°C] min to max	-60°C to 300°C	-40°C to 150°C
Tensile strength for 6,3 x 0,4 mm types [N]	333N/1334N double	333N/1334N double
Tensile strength for 9,5 x 0,4 mm types [N]	444N/2224N double	444N/2224N double

Type name: **Cable fixing band and clips**, AE43 family (with AE45 or LE15 clip)

Material: Stainless Steel, 316 coated with Plascoat PPA 571
 Thickness: 0.4 mm (1,22mm coated)
 Width: 6,4 to 19,1 mm
 Length: 25m

	Uncoated	Coated
Family	-	AE43
Temperatur range [°C] min to max	-	-40°C to 150°C
Tensile strength for 6,4 x 1,22 mm types [N]	-	1490N
Tensile strength for 9,6 x 1,22 mm types [N]	-	2246N
Tensile strength for 12,7 x 1,22 mm types [N]	-	2980N
Tensile strength for 15,8 x 1,22 mm types [N]	-	3736N
Tensile strength for 19,1 x 1,22 mm types [N]	-	4448N

Job Id: **262.1-012984-5**
 Certificate No: **TAE00000YS**
 Revision No: **2**

Type name: **Band-it AA stainless steel band** (AE98 family with uncoated AE45 Clip)
 Material: AA Stainless Steel, coated with Plascoat PPA 571
 Thickness: 0.3 mm (1,12mm coated)
 Width: 12.75 mm
 Length: 25m

	Uncoated	Coated
Family	-	AE98
Temperatur range [°C] min to max	-	-40°C to 150°C
Tensile strength for 12,7 x 1,22 mm types [N]	-	1334N

Type name: **201 Stainless Steel Coated Band** (AE93 family with AE45 Clip)
 Material: 201 Stainless Steel, coated with Plascoat PPA 571
 Thickness: 0.39 mm (1,22mm coated)
 Width: 9,6 to 19,1 mm
 Length: 25m

	Uncoated	Coated
Family	-	AE93
Temperatur range [°C] min to max	-	-40°C to 150°C
Tensile strength [N]	-	1334N

Type name: **BAND-IT Ties All purpose Band**
 Material: Galvanised Carbon Steel, Stainless Steel 316 or Copper
 (pre-punched fixing holes)
 Uncoated or coated with PPA 571
 Thickness: 0.73 mm (1,40 mm coated)
 Width: 12, 17 and 26 mm
 Pre-Punched Holes: 5Ø, 7Ø and 8Ø
 Length: 10m or 25 m

	Uncoated	Coated
Family	AE40 (SS316) AE50 (GCS) AE80 (Copper)	AE46 (SS316) AE56 (GCS)
Temperatur range [°C] min to max	-60°C to 300°C	-40°C to 150°C

Type name: **Band-it Galvanised Carbon Steel band** (AE53 family with uncoated AE45 Clip)
 Material: Galvanised Carbon Steel, coated with Plascoat PPA 571
 Thickness: 0.73 mm
 Width: 12,17 and 26 mm
 Length: 25m

	Uncoated	Coated
Family	-	AE53
Temperatur range [°C] min to max	-	-40°C to 150°C
Tensile strength for 16 x 0,51 mm types [N]	-	1334N

Application/Limitation

For fixing of cables, outdoor and indoor, onboard ships and mobile offshore units.
 Non-UV resistant ties not to be used on open deck.

Job Id: **262.1-012984-5**
Certificate No: **TAE00000YS**
Revision No: **2**

Type Approval documentation

Data sheets:

Specifications, Band-It, Valspar (formally INVER), Arkema, Nylon Colour and Plascoat
Drawings: PA221 dated 92-03-18, PA29089 dated 92-03-16,
Drawings: AE601 dated 91-08-22 and AE701 dated 91-08-22.
Customer specification drawings: KE012, KE022, KE032, KE042, AS211, AS221, AE43 Rev H dated 10/30/2009 , AE565, AE601, AE611, AE701, AE711.
Band-it Catalogue B-80EE 3/06.
Rilsan PA11 Nylon 11. Coating.
Plastcoat PPA571 Polymer Alloy Coating.

Additional documentation Band-IT-IDEX, Inc documentation:

AE11 Rev. P, AE31 Rev. L, AA11 Rev. A, AA31, Rev. A, AA86 Rev. -.

Test reports:

Test reports: BAM 1.3/7787, TNO B-83-14, C.W. no. 1003
Test reports: 8457 dated 91-12-03 and 8463 dated 92-01-06
Test reports: 8485 dated 92-03-16, 8489 dated 92-03-23
Test reports: 8977 dated 91-01-23 (Mini Tie-Lok)
Test reports: 9174 dated 99-05-26
Test report: HAD 136 dated 03-06-18
Product test results ¼" cable ties, 3/8" cable ties, ¼" tie loks, 4,6mm ball loks tested 2007.
Short circuit testing of coated stainless steel ties for trefoil cable configurations. Sintef report LR F2440 dated 2007-02-12.
Shock and vibration tests. Admiralty Engineering laboratories dated 1972.
Shock tests. Ministry of defence. 12 October 2004.
DNV Additions LTS Test Result Statistical Analysis - May 2017

Tests carried out

Vibration, Flammability and Corrosion protection.
Holding power.

Marking of product

According to product description – Manufacturing place

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the Type approval are complied with and that no alterations are made to the product design or choice of materials.

The main elements of the assessment are:

- Inspection on factory samples, selected at random from the production line (where practicable)
- Results from Routine Tests (RT) checked (if not available tests according to RT shall be carried out)
- Review of type approval documentation
- Review of possible change in design, materials and performance
- Ensuring traceability between manufacturer's product type marking and Type Approval Certificate.

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE



Type Approval Certificate Extension

This is to certify that Certificate No. 01/00106(E3) for the undernoted products is extended and renumbered as shown.

This certificate is issued to:

PRODUCER	BAND-IT Co Ltd	
PLACE OF PRODUCTION	Speedwell Industrial Estate Staveley, Chesterfield Derbyshire, S43 3PF United Kingdom (UK)	
DESCRIPTION	Stainless Steel Coated and Uncoated Cable Clips, Ties, Buckles and Banding	
TYPE	BALL-LOK TIES	KE01, KE02, KE03, KE04 Series
	TIE-LOK TIES	AS21, AS22, AS42, AS42 Series
	CABLE TIES	AE11, AE31 Series
	MULTI-LOK TIES	AE60, AE61 Series
	MULTI-LOK TIES	AE70, AE71 Series
	TIES - 316 Stainless Steel	AE10, AE30 Series
	BALL-LOK TIES Coated	KE06, KE08 Series
	BALL-LOK TIES	KE11, KE13 Series
	316 Stainless Steel Coated Band	AE43 Series
	201 Stainless Steel Coated Band	AE93 Series
	GCS Coated Band	AE53 Series
	"AA" Stainless Steel Coated Band	AE98 Series
	Buckle Family	AE45 Series
APPLICATION	Marine Electrical Installations	
STANDARD	Manufacturer's specifications	
Certificate No.	01/00106(E4)	
Issue Date	9 July 2016	
Expiry Date	8 July 2021	
Sheet	1 of 3	

Lloyd's Register EMEA
71 Fenchurch Street, London EC3M 4BS



A. Petrov
Southampton Technical Support Office
Lloyd's Register EMEA

Lloyd's Register EMEA
Is a subsidiary of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

RATINGS

BALL-LOK

Series	Loop tensile (LBS)
KE01	200
KE02	150
KE03	300
KE04	175
KE06	150
KE08	175
KE11	200
KE13	300

TIE-LOK

Series	Loop tensile (LBS)
AS21	250
AS22	100
AS41	250
AS42	100

CABLE TIES

Series	Loop tensile (LBS)
AE11	100
AE31	100

MULTI-LOK


Series	Loop tensile (LBS)
AE70	415
AE71	415
AE60	250
AE61	250

TIES - 316 Stainless Steel

Series	Loop tensile (LBS)
AE10	75
AE30	100

Certificate No. 01/00106(E4)
Issue Date 9 July 2016
Expiry Date 8 July 2021
Sheet 2 of 3

Lloyd's Register EMEA
 71 Fenchurch Street, London EC3M 4BS



A. Petrov
 Southampton Technical Support Office
 Lloyd's Register EMEA

Lloyd's Register EMEA
 Is a subsidiary of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Bands with buckles AE45

Series	Loop tensile (LBS)
AE43	300
AE93	300
AE53	300
AE98	200


"This Certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register EMEA of any modification or changes to the equipment in order to obtain a valid certificate."

The attached Design Appraisal Document No. 01/00106(E4) issued and its supplementary Type Approval Terms and Conditions form part of this Certificate.

All other details remain as the previous Certificate No. 01/00106(E3) to which this extension should be attached.

Certificate No. 01/00106(E4)
Issue Date 9 July 2016
Expiry Date 8 July 2021
Sheet 3 of 3

Lloyd's Register EMEA
71 Fenchurch Street, London EC3M 4BS



A. Petrov
Southampton Technical Support Office
Lloyd's Register EMEA

Lloyd's Register EMEA
Is a subsidiary of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 9001:2015

This is to certify that:

Band It Company Limited
Telford Crescent
Speedwell Industrial Estate
Staveley
Chesterfield
S43 3PF
United Kingdom


Holds Certificate Number:

Q 06121

and operates a Quality Management System which complies with the requirements of ISO 9001:2015 for the following scope:

Manufacture of industrial pressure clamps, hose fittings, powder coated band and cable ties, sign mounting brackets using stainless steel and carbon steel band and buckles.

For and on behalf of BSI:



Andrew Launn, EMEA Systems Certification Director

Original Registration Date: 1989-07-01

Latest Revision Date: 2018-07-27

Effective Date: 2018-08-11

Expiry Date: 2021-08-10

Page: 1 of 1



...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated [online](#). Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.



Certificate of Registration

ENVIRONMENTAL MANAGEMENT SYSTEM - ISO 14001:2015

This is to certify that:

Band It Company Limited
Telford Crescent
Speedwell Industrial Estate
Staveley
Chesterfield
S43 3PF
United Kingdom

Holds Certificate Number:

EMS 57561

and operates an Environmental Management System which complies with the requirements of ISO 14001:2015 for the following scope:

The manufacture of industrial pressure clamps, hose fittings, powder coated band and cable ties, sign mounting brackets using stainless steel and carbon steel band and buckles.

For and on behalf of BSI:

Andrew Launn, EMEA Systems Certification Director

Original Registration Date: 2001-03-14

Latest Revision Date: 2019-07-11

Effective Date: 2019-09-24

Expiry Date: 2022-09-23

Page: 1 of 1



...making excellence a habit.™

This certificate was issued electronically and remains the property of BSI and is bound by the conditions of contract. An electronic certificate can be authenticated [online](#). Printed copies can be validated at www.bsigroup.com/ClientDirectory

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A Member of the BSI Group of Companies.